
From: Vines, Lisa 3053
Sent: 29 January 2013 14:36
To: 'Linda Marshall'
Subject: Jolly Miller Application (NOT PROTECTIVELY MARKED - NO DESCRIPTOR)

Hi Linda,

With regards to the application to vary the premises license for The Jolly Miller, Wrawby, I visited yesterday (28th January 2013) to view the layout and identify any concerns on behalf of Humberside Police.

We would like to make the following proposals to be included on the license in order to be agreeable to the issue:

We agree to the removal of the age restriction for the competent and responsible persons, however in replacement of that, we would like included, the requirement for a personal license holder to be employed during the peak periods from 19:00 (Friday, Saturday and Bank Holidays), during musical entertainment and any outdoor entertainment or an arranged event.

We disagree for the Pool Table condition to be fully removed, however would like to amend it to allow the use of pool tables when located in a separate room / area from the musical entertainment. This allows for the Games room to be of use during musical entertainment in the main bar area.

Having looked through the current License, there is no requirement for CCTV stipulated. We would like a condition on the premises to have CCTV in line with the Home Office Guidelines and up to 28 days recall. It should cover all entrances and exits including the outdoor entrance to the rear Beer Garden along with potential hot spots, including the outdoor seating area. Having visited the premises, their current system would meet this criteria and therefore they would conform with no further action on their behalf.

As a side note, Michael Godfrey was looking to utilise the patio doors that are installed in the Games Room. I have noticed that there is a condition under Prevention of Public Nuisance requiring all External doors to be fitted with self-closing devices which should not be restricted or disconnected. The patio doors are not self close and in summer, they would be looking to have them open, out onto the outdoor seating area. I have advised him to speak with yourselves with regards to this condition.


The only inclusion to this would be the use of polycarbonate glasses should he be holding temporary events outside the specific beer garden area or the internal premises.

Please let me know if you require any further information.

Kind regards

Lisa

Lisa Vines
Licensing Officer
Southbank



Our Ref: FS/KH/RM/RAL2/S2/000672 (273653)
Date: 17 January 2013

HUMBERSIDE Fire & Rescue Service

Mr Michael Godfrey
298 Queensway
Scunthorpe
North Lincolnshire
DN20 0NH

TECHNICAL FIRE SAFETY SECTION
Laneham Street
Scunthorpe
DN15 6JP

The person dealing with this matter is:
Kelth Hall
Technical Fire Safety Inspector
Tel: 01724 295914
Fax: 01724 295908
E-Mail: khall@humbersidefire.gov.uk

Dear Sir

**REGULATORY REFORM (FIRE SAFETY) ORDER 2005
LICENSING ACT 2003 - TYPE OF LICENCE
VARIATION OF PREMISES LICENCE
PREMISES: JOLLY MILLER
BRIGG ROAD
WRAWBY
DN20 8RH**

LICENSING ACT 2003

The Application and enclosures in relation to the above mentioned premises which were received in this office on the 09 January 2013 and are acknowledged and the Fire Authority make the following comment

From the information provided the proposals with regards to Public Safety are considered **acceptable** to the Fire Authority.

The Fire Authority considers the proposals regarding Public Safety to be **unsatisfactory** and therefore make the following **representation** on the grounds of public safety for the following reason:

REGULATORY REFORM (FIRE SAFETY) ORDER 2005

Fire Risk Assessment

It is a requirement that the responsible person must make a suitable and sufficient assessment of the risks to which relevant persons are exposed for the purpose of identifying the general fire precautions which are necessary to comply with the requirements and prohibitions imposed on him by or under this order and record the prescribed information

The following should be considered as essential to any such fire risk assessment:

The Fire Risk assessment should be reviewed and significant findings acted upon when functions and large gatherings of persons are conducted at the premises.

Means of Giving Warning of Fire

Should be extended to the wooden external annex. Consideration should be given to provide smoke detection to the cupboard protecting the single escape stair.

Emergency Lighting



Consideration to provide external lighting in all areas of the premises where escapes routes are planned.

Means of escape

The cupboard to the single stair bedrooms is required to be upgraded. The internal lining requires plaster boarding to provide the correct fire lining. The cupboard doors require intumescent and cold smoke seals in the door edge or frame.

The cold smoke seals are missing off the kitchen door.

The door leading to the pool room should not be pushed back, thus preventing the self-closing device to operate.

All references to fire doors, unless otherwise stated, means a thirty minute integrity when tested in accordance with British Standard 476: Parts 20 and 22. The doors should be able to resist the passage of smoke at ambient temperatures when tested in accordance with British Standard 476: Parts 20 and 22 and be fitted with intumescent and cold smoke seals in the door edge or frame. The doors should be positively self-closing. Further guidance can be obtained from British Standard 8214: 2008

Fire Fighting Equipment

External fire fighting equipment should be positioned in the wooden annex.

Signage

Additional signage should be displayed when external events take place.

Occupancy Figures

In the absence of a proposed occupancy figure, it is, in the professional opinion of the Fire Authority based on the information provided, the maximum occupancy figure for the premises should be restricted to:

100 One hundred including staff and patrons.

It should be noted that this figure may be judged to be excessive for the purpose of Health and Safety considerations, e.g. ventilation and toilet facilities etc, therefore the figure quoted are for means of escape purposes only.

It is the opinion of the Fire Authority that the above figure should be recorded as a significant finding of the premises written fire risk assessment.

Your attention is drawn to the publication 'Fire Safety Risk Assessment – Small and Medium Places of Assembly (ISBN No. 13: 978 85112 820 4) which provides information for the responsible person about The Regulatory Reform (Fire Safety) Order 2005. This publication is available from The Stationery Office or by downloading it from the internet at:

<http://www.communities.gov.uk/fire/firesafety/firesafetylaw/aboutguides/>

Should the application include a change of use, structural alterations or change of the internal layout that affects the means of escape, you are advised to consult the Local Authority Building Control Department for further advice.

If you are not the responsible person for these premises, you should ensure that this letter and its contents are forwarded to that person.

If you require further advice or clarification of any of these matters, please contact the Fire Safety Inspector at the address overleaf.

Yours faithfully

A handwritten signature in black ink, appearing to be 'P. H. H.', written in a cursive style.

FOR THE CHIEF FIRE OFFICER & CHIEF EXECUTIVE

Copy to: Neighbourhood and Environmental Services
Licensing Division
Church Square House
PO Box 42
SCUNTHORPE
North Lincolnshire

I N T E R	MEMO	 <p>NORTH LINCOLNSHIRE COUNCIL</p>	
O F F I C E			

To: Licensing Division

From: Kath Jickells, Environmental Health (Commercial)

Subject: **Premises License Variation Application**
Jolly Miller, Wrawby

Date: 8 February 2013

Thank you for your consultation regarding the above application.

This public house is situated within a residential area. Indeed there are at least 15 properties within 50m of the premises. A large smoking shelter has been constructed close to the rear of the premises. At present the smoking shelter cannot be used for smoking as it is over 50% enclosed. This shelter has lighting and heating and a number of seats within it. Irrespective of whether or not it can be made compliant with smoke-free legislation to enable it to be used as a smoking shelter, it is a very substantial structure providing a far greater degree of comfort than is the norm for a smoking shelter.

I am concerned that noise from customers using this smoking shelter and other external areas will cause a disturbance to local residents, particularly when used in the evening and at night time. It important to note that this is a village location with little other night time activity so background noise levels will generally be very low.

Being mindful of the prevention of public nuisance licensing objective, I would object to this application if the following conditions were not added to the current Premises Licence:

No beverages shall be taken into or consumed within external areas, including the smoking shelter, after 22:00 hours

No audible entertainment, including but not limited to, the performance of live music, karaoke, the provision of background music and the provision of television shall be provided in external areas other than on the one day of August Bank Holiday that is detailed in an existing condition on the current Premises Licence.

The licence holder or his representative shall conduct regular assessments of the noise coming from the premises on every occasion the premises are used for regulated entertainment and shall take steps to reduce the level of noise where it is likely to cause a disturbance to local residents. A written record shall be made of those assessments in a log book kept for that purpose and shall include, the time and date of the checks, the name of the person making them and the results including any remedial action

The licence holder or his representative shall conduct regular assessments of the noise coming from external areas including the smoking shelter when they are in use and shall take steps to reduce the level of noise where it is likely to cause a disturbance to local residents. A written record shall be made of those assessments in a log book kept for that purpose and shall include, the time and date of the checks, the name of the person making them and the results including any remedial action.

Furthermore, I make these comments on the assumption that the current conditions on the Premises Licence under the Prevention of Public Nuisance heading will remain. I note that one of these conditions relates to external doors and I would expect this to apply to all external doors, including the patio doors serving the pool room. I would also expect the condition relating to the use of outside drinking areas to cease at 23:00 hours to apply to the smoking shelter. If further conditions are required for the sake of clarity I shall be happy to oblige.

Kath Jickells
Environmental Health Manager (Commercial)

I N T E R

MEMO



O F F I C E

To: Licensing Team

From: Trading Standards

Date: 24th January 2013

Subject: Licensing Act 2003 - application to vary a premises licence.
Jolly Miller, Brigg Road, Wrawby, DN20 8RH

We are in receipt of an application to vary the premises licence at the above premises. This department has the following comments to make in respect of this matter.

The applicant seeks to include a new smoking shelter and games room and remove a number of existing conditions. Trading Standards is concerned that the introduction of the new games room will attract a younger clientele to the premises. This may bring with it the potential for under age sales of alcohol to be made.

In an attempt to address this before it becomes an issue and to bring the premises in line with other similar establishments, we would ask that certain conditions are added to the premises licence to enhance the premises' due diligence systems. The proposed conditions are only what we would expect of a responsible retailer and are not designed to place extra burdens on the business.

There are currently no conditions on the existing licence in relation to the licensing objective, 'the protection of children from harm' and the only mandatory condition relating to age restricted sales is that an age verification policy is in place which requires the production of photographic proof of identification where a customer appears to be under the age of 18 years. We would ask that this be extended by adding the following conditions:

- Staff training with regard to age restricted sales shall take place upon commencement of employment and thereafter, at least every six months. The DPS, or duly appointed key member of staff, shall maintain a written record of all training, which employees shall be required to sign and date. The training records shall be kept at the premises and shall be made available upon request by an authorised officer of the council, Trading Standards or a police officer.

- A Challenge 21 or Challenge 25 policy shall be in place and brought to the customer's attention by way of posters on the premises and at the bar.

- Anyone who appears to be under the age of 21 or under 25 (depending upon the policy) shall be asked to produce a recognised photographic proof of age document. Acceptable forms of identification shall be passport, photo card driving licence or PASS approved and hologrammed identification;

- A refusals book or electronic log shall be kept at the bar to record the details of all refused sales. The book/log shall be regularly audited by the DPS or duly appointed key member of staff to assess employee's compliance with the premises' policy on refusing age restricted sales. The book/log shall be made available upon request by an authorised officer of the council, Trading Standards or a police officer.

From: Nicholas Bramhill/NE/NorthLincs
To: Linda Marshall/NE/NorthLincs

Date: Thursday, February 07, 2013 02:02PM
Subject: Fw: Representation- Application to Vary the Premises Licence (Jolly Miller)

Further to the application to vary the premises licence for the Jolly Miller, I hereby submit my representation on the following grounds.

1. The layout of the premises is not in accordance with the plan. This needs to be rectified before a licence can be issued.
2. The use of the outside area and the new smoking shelter are likely to cause a public nuisance and are likely to cause noise and disturbance to neighbouring residents. I would propose that a condition be added to the licence restricting the use of the outside area beyond 23.00 hours.
3. The area known as thehayloft does not need to be included for the purpose of off-sales.

Thanks

Nick Bramhill
Licensing Manager
North Lincolnshire Council
Church Square House
PO Box 42
Scunthorpe
DN15 6XQ

(01724) 297607



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ
Phone: [Type the recipient phone number]

To Whom it may concern

As a resident of Wrawby and living within a short distance of the Jolly Miller pub I wish to object to the application for a variation to its premises license. The suggested changes and areas covered by the application are likely to cause a public nuisance. There is already a disputed planning application on grounds of nuisance and noncompliance – granting this application would make the nuisance potentially much worse. The refusal to grant this application would be in the interests of local residents.

Kind regards

Sueann Day
14y House
~~Brigg Road~~
wrawby



RECEIVED
23 JAN 2013

MARK HEBBLEWHITE
THE BARN
OLD STACKYARD
WRAWBY
DN20 8RH


► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully



21.01.13.



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

A handwritten signature in black ink, appearing to read "Colin Johnson".

Tel +
07325029846

COLIN JOHNSON

2, RUSSET LANE, WRAWBY, DN20 8GD

obj 4



Mr. J. & Mrs K Prior

► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

A handwritten signature in black ink, appearing to be "KJP", is written above a horizontal line.

6, DOVECOTE MEADOWS, WRAWBY DN20 8RH



RECEIVED
28 JAN 2018
JL

Obj 5.
Mr, Mrs RICHARDSON
6 RUSSET LANE
WRAWBY
BRIGG
DN20 8GD.
01652 651256

► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

A handwritten signature in cursive script, appearing to read 'S.J. Richardson', is written above a horizontal line.

A handwritten name 'S.J. Richardson' in cursive script is written below a horizontal line.

obj 6



RECEIVED
24 JAN 2013

► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

Ms. S. BEADLE
COLERIDGE BRIGG ROAD
WRAWBY
DN20 8RL



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

A handwritten signature in black ink, appearing to be "W.M. Flockhart", written over a horizontal line.

W.M. FLOCKHART, 4 DOVECOTE MEADOWS
BRIAR ROAD, WRABBY,
DN2 8RH.



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully


P A Moore.

FORSETI
THE OLD STACKYARD
BRISQ ROAD
WRAWBY
DN20 8RH

Tel 01652 656774.

Obj 9

DN20 8RH



The Hayloft
The Old Stackyard
Brigg Road
Wrawby

23rd January 2013

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To Whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance.

Kind regards

S Collen

obj 10



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.


Yours faithfully

Helen Knox

The Roost
4 Russet Lane
Wrawby

DN20 890

MR & MRS KNOX



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

Karen Marshall
2 Dovecot Meadows
Bngg Rd
Wrawby
DN20 8RH



► **Technical And Environmental Services**

Licensing Division
PO Box 42
Church Square House
Scunthorpe
N Lincs
DN15 6XQ

To whom it may concern

As a resident of Wrawby and neighbour of the Jolly Miller pub I wish to object to the application for a variation to its premises license. I have concerns that the suggested changes and areas covered by the application are likely to cause a public nuisance. Refusal of this application will in my opinion act to prevent this public nuisance.

Yours faithfully

A handwritten signature in black ink, appearing to be "C. D. Rowbottom", written over a horizontal line.

C. D. Rowbottom. BRIGA B WRAWBY
